

# OKS 2631 - Product Information

#### Fields of Application:

OKS 2631 Multi- Foam Cleaner, Spray Removes strongly adherend organic residues as well as coverings of smoking (nicotine), fat, silicone and rubber wear. Suitable for in- and outdoor application. Cleans aluminium and stainless steel parts, plastics, glas, chrome and rubber. For the manifold application in the section of gastronomy, office and automotiove, for hobby and sport equipment like e.g. kitchen furnishing, bars, mirrows, window-glasses and frames, glass surfaces, tiles, china, screens, machine housings, boats, caravans, surfboards, bikes, polycarbonate screens and acryl glass, visor of helmets, windscreens, lights, aso.

## **Advantages and Benefits:**

Easy application and through the active cleaning foam ideal suitable for vertical aereas, no expiration. Cleans material-gentle and without leaving stripes or streaks behind. Does not attack paints, rubber or plastic and acts color-refreshing. Pleasant, citric like odor, eudermic. Free from toxic substances like chlorine, CFC, PCB. Silicone free. Suitable for arcyl-glasses (tension crack test according DIN EN ISO 22088-3 passed). Acts anti-static.

#### Application:

Shake spray can very well before use. Spray evenly onto the surface from 20 - 30 cm distance. After a short residence time wipe away in a damp condition with a clean, non-fuzzing cloth or pulp. Test compabitility with special coatings. Store frost-free. For further questions please contact our Technical department.

### **Additional Information:**

Packaging (Article-number): - 400 ml Spray (02631004)

Version: E-07.1/10

The data in this brochure are the result of extensive testing and experience and meet the latest stage of engineering. Due to the diversity of application possibilities and technical realities they can only be recommendations and are not arbitratily transferable; thus no obligations, liability or warranty claims can be derived herefrom. We accept liability for the fitness of our products for particular purposes and accept such liability in writing in the individual case. In any event any justified warranty claims shall be limited to the delivery of replacement goods which are free from defect or, in the event that such subsequent improvement fails, to reimburesement of the purchase price. Any and all further claims, in particular but without limitation any liability for consequent damage, shall be excluded. Prior to use own testing must be done to prove suitability. The data are subject to change for the sake of technical progress. ® = Registered Trademark



# **Technical Data**

	Norm	Conditions	Measurement	Value
Base				
Туре				water
Additives				
Туре				tensides, additives
Application Data				
Density	DIN EN ISO 3838	+20°C	g/ml	0,92
Color				slightly blue
Releases/Specifications				
Tension Crack Test	DIN EN ISO 22088-3			passed
Spezifications/Releases				
Minimum shelf life	original closed container	dry, cool storage	Month	24

The data in this brochure are the result of extensive testing and experience and meet the latest stage of engineering. Due to the diversity of application possibilities and technical realities they can only be recommendations and are not arbitratily transferable; thus no obligations, liability or warranty claims can be derived herefrom. We accept liability for the fitness of our products for particular purposes and accept such liability in writing in the individual case. In any event any justified warranty claims shall be limited to the delivery of replacement goods which are free from defect or, in the event that such subsequent improvement fails, to reimburesement of the purchase price. Any and all further claims, in particular but without limitation any liability for consequent damage, shall be excluded. Prior to use own testing must be done to prove suitability. The data are subject to change for the sake of technical progress. ® = Registered Trademark