

according to Regulation (EC) No 1907/2006

Cvanacrvlate Adhesive

e juniter juite / tunioerve		
Product code: 14-80		Page 1 of
ne substance/mixture and of the company/	undertaking	
e substance or mixture and uses advised again	<u>nst</u>	
professional use.		
ITW LLC & Co. KG		
Mühlackerstrasse 149		
D-75417 Mühlacker		
++49(0)7041-96340	Telefax:++49(0)7041-963429	
info@itwcp.de		
www.itwcp.de		
Produktsicherheit		
++49(0)7041-96340		
	ne substance/mixture and of the company/ ne substance or mixture and uses advised agai professional use. safety data sheet ITW LLC & Co. KG Mühlackerstrasse 149 D-75417 Mühlacker ++49(0)7041-96340 info@itwcp.de www.itwcp.de	Product code: 14-80 The substance/mixture and of the company/undertaking the substance or mixture and uses advised against professional use. safety data sheet ITW LLC & Co. KG Mühlackerstrasse 149 D-75417 Mühlacker ++49(0)7041-96340 info@itwcp.de www.itwcp.de

Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: May cause respiratory irritation. Causes serious eye irritation. Causes skin irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Ethyl-2-cyanacrylat Ethyl cyanoacrylate Signal word:

Warning

Pictograms:



Hazard statements

H335	May cause respiratory irritation.
H319	Causes serious eye irritation.
H315	Causes skin irritation.

Precautionary statements

P284	In case of inadequate ventilation wear respiratory protection.
P501	Dispose of contents/container to Dispose of this material and its container to hazardous or
	special waste collection point



according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive			
Product code: 14-80	Page 2 of 7		
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
IF ON SKIN: Wash with plenty of water.			
Wear protective gloves/protective clothing/eye protection/face protection.			
Special labelling of certain mixtures			
EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.			
	Product code: 14-80 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. Wear protective gloves/protective clothing/eye protection/face protection. tain mixtures Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of		

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7085-85-0	ethyl 2-cyanoacrylate			25-100 %
	230-391-5	607-236-00-9		
	Eye Irrit. 2, STOT SE 3, Skin Irrit. 2; H319 H335 H315			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing.

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing. Cyanoacrylate containing adhesive. After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

If swallowed, immediately drink: Water. Rinse mouth immediately and drink plenty of water. In case of accident or if you feel unwell, seek medical advice immediately (show this label if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Extinguishing powder.

Unsuitable extinguishing media

Water with tenside additive. Water.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. In case of fire may be liberated: Nitrogen oxides (NOx). Carbon monoxide. Carbon dioxide (CO2).



according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Print date: 26.01.2017

Product code: 14-80

Page 3 of 7

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

No data available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaustion at critical locations. Ensure adequate ventilation of the storage area.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.

Further information on handling

Keep only in the original container at temperature not exceeding 7 °C.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. storage temperature: 5-7°C

Advice on storage compatibility

Do not store together with:

Further information on storage conditions

Keep locked up and out of reach of children. Keep away from heat. Keep/Store only in original container.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7085-85-0	Ethyl cyanoacrylate	-	-		TWA (8 h)	WEL
		0.3	1.5		STEL (15 min)	WEL



according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Print date: 26.01.2017

Product code: 14-80

Page 4 of 7

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink. Avoid contact with skin.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

DIN EN 374 Tested protective gloves are to be worn: Butyl rubber. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Combination filter device (DIN EN 141)...

Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

-				
	Physical state:	liquid		
	Colour:	black		
	Odour:	stinging		
				Test method
	Changes in the physical state			
	Flash point:		> 80 °C	
	Density:		1,06 g/cm ³	
	Water solubility:		hydrolyzed	
	Viscosity / dynamic:		100-200 mPa·s	

SECTION 10: Stability and reactivity

10.1. Reactivity

(at 25 °C)

No data available

10.2. Chemical stability

Keep away from heat. Protect from sunlight.

10.3. Possibility of hazardous reactions

Danger of polymerisation

10.4. Conditions to avoid

No data available

according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Print date: 26.01.2017

Product code: 14-80

Page 5 of 7

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Processing vapours can irritate the respiratory tracts, skin and eyes. not sensitising.

Irritation and corrosivity

Irritating to eyes. Following inhalation: Lung irritation. Coughing. shortage of breath. After skin contact: Irritant.

Sensitising effects

not sensitising.

Carcinogenic/mutagenic/toxic effects for reproduction

No data available

STOT-repeated exposure

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products



Safety Data Sheet

according to Regulation (EC) No 1907/2006

		according to Regulation (EC) No 1907/2006	
		Cyanacrylate Adhesive	
Print date: 26.01.	2017	Product code: 14-80	Page 6 of 7
150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances Classified as hazardous waste.			
Waste dispos	al number of contaminated	l packaging	
150102	WASTE PACKAGING; AB	SORBENTS, WIPING CLOTHS, FILTER MATERIALS AND S NOT OTHERWISE SPECIFIED; packaging (including separately ging waste); plastic packaging	
Contaminate	d packaging		
Water (wit	h cleaning agent). Complete	ly emptied packages can be recycled.	
SECTION 14: T	ransport information		
Land transport (ADR/RID)		
	ble information (land trans	port)	
Not restric	-		
Inland waterway	s transport (ADN)		
Other applica Not restric	ble information (inland wat sted	terways transport)	
Marine transport	t (IMDG)		
-	ble information (marine tra	nsport)	
Air transport (IC	AO)		
<u>14.1. UN num</u>	ber:	UN3334	
	per shipping name:	AVIATION REGULATED LIQUID, N.O.S. (Cyanoacrylate ester)	
	ort hazard class(es):	9	
Hazard label:		9	
Special Provis		A27	
•	ity Passenger:	30 kg G	
	instructions - Passenger: antity - Passenger:	964 100 L	
	instructions - Cargo:	964	
	antity - Cargo:	220 L	
Other applicable information (air transport)			
E1 : Y964			
14.5. Environme	ntal hazards		
ENVIRONME	NTALLY HAZARDOUS:	no	
SECTION 15: R	egulatory information		
15.1. Safety, hea	Ith and environmental regu	lations/legislation specific for the substance or mixture	
National regu	latory information		
-	inating class (D):	1 - slightly water contaminating	
	5	<i>c</i> ,	



according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Print date: 26.01.2017

Product code: 14-80

Page 7 of 7

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)